




waytronic



Provide more intelligent interactive experience, make complex simple, make life better.
Be the most influential company in the voice industry and intelligent internet of things.
Create and share together, create the best value for customers, achieve staff dreams.



Contact us

Add: 2~3/F, Building No. 6, Fuan Robotics Industrial Park, Fuyong, Baoan District, Shenzhen, 518103, Guangdong, China.

Email: info@WayTronicMFG.com

Website: www.WayTronicMFG.com

Phone: +86 186 8200 7177 (Wechat/Whatsapp)




Official Website

2022

Shenzhen Waytronic Electronics Co., Ltd.
Focus on Audio Solution for 23 years.

BROCHURE

Our Distribution Network



R & D team



Production line



Our Business Partners



Certificate





Company Introduction

Shenzhen Waytronic Electronics Co., Ltd. was founded in Guangzhou in 1999 (later moved to Shenzhen), and has more than 20 years of rich experience in the voice industry.

At the beginning of our company's establishment, we used voice chips as the core business. To meet the needs of more customers, our company independently developed and launched voice prompt series products such as MicroSound, SmartSound, PowerSound, iSound, and KingSound from 2011 to 2015. Now the product is widely used in supermarket advertising promotion, subway / station safety reminders, factory / site safety warnings, square / hotel / showroom event broadcasts, forest park safety reminders, shop welcomes, etc.

In recent years, it has successively launched elevator announcer, supplementing the vacancies in the elevator floor announcer and advertising market; and the series of call recording products, which have solved the major problem that Apple mobile phone users cannot record calls.

Creating together, sharing together, creating greater value for customers, and achieving employee dreams are the values of Waytronic. While continuously launching own products, we also accept OEM & ODM services for customers, which greatly meets the needs of customers, and let Waytronic and customers achieve a win-win situation.

Our advantages are as follows:

- ★We have an excellent R & D team with more than 20 software and hardware engineers;
- ★Has its own production and QC department to ensure the output of high-quality products to customers;
- ★Provide one-stop service to customers from product design, production, logistics, to after-sales;
- ★We are a manufacturer, which can better control the manufacturing cost and save the price difference of the middleman,
- ★so as to provide customers with the best price.

Welcome to inquire, or consult ODM & OEM custom service!


Catalogue

Motion Sensor Audio Player

MicroSound-----	1-2
iSound-----	3-4
SmartSound-----	5-6
KingSound-----	7-8
WT-WS1-----	9-10
WT-E12-----	11-12
PowerSound-----	13-16
PowerSound OD-----	17-18
Audible and Visual Alarm-----	19-20
GSM Thermostat Socket-----	21-22
Elevator Advertising Floor Announcer-----	23-24
Phone Call Recorder-----	25-26
Customized Solution-----	27-28
Our Services-----	29-30



Microsound



Micro USB interface is used connecting power adapter to supply power for the device,or connecting computer to download audio.SD card slot is spare,not used in this version.

1.Small and exquisite	7.Memory size:4M
2.MP3 audio format	8.Two button:Previous and Next
3.Quality sound	9.Power-down memory function
4.Adjustable Volume:Two levels(small and maximum)	10.Support to change sound file via USB cable
5.Build with Motion Sensor	11.Support 3 AAA batteries or Adapter(5V1A) Power supply
6.Working arange of Motion sensor:within 4meters	12.Built-in 8Ω1 watt speaker

We have different product model of Micsound for different application	
Model Number	Difference
Microsound V3	Build with Magnet sensor and use micro usb cable to change sound file
Microsound V15	Build with Magnet sensor and use micro usb cable to change sound file
Microsound V16	Build with motion sensor and press a button to change sound file
Microsound V22	Build with motion sensor and use micro usb cable to change sound file
WT-MS1	Build with motion sensor and change sound file remotely



Product Size	90*60*20 mm
Trigger Method	Motion / Magnet Sensor
Working range of Motion sensor	within 4 meters
Memory size	4M
Changeable sound file	YES
Power supply	3 AAA batteries or Adapter(5V1A)
Speaker	8Ω1W
Max Volume	90dB (<1 meters)


iSound



Features:

1. Support 8-320Kbps MP3 audio format, beautiful voice.
2. Voice easily changed, can copy audio files to internal storage through U disk.
3. Can download MP3 files less than 4M through U disk.
4. With lock function, avoiding wrong triggering or unwanted operation.
5. Stable performance, can have external active speaker (external amplifier).
6. With external trigger function(valid for low pulse)
7. Power supply : DC12V or AC 220v (Choose one, the two are not compatible)
8. With a set of relay switches, it is closed when the voice is triggered-delay---The default value of the disconnection time is 30S; (Optional function)

Applications : Can be connected to light string, exhaust fan, relay switch, and lamp.



Application scenario:



Bank Self-service Area

You have entered 24-hour monitoring area, please keep your personal property well



Bank Self-service Area

Please go out after a flush



Warehouse

You are going to enter warehouse, please wear safety helmet, no smoking, no chase or fights, no kidding, thanks for your cooperation !



Employee Attendance Prompt

Don't forget to punch in to work, Don't forget to punch at when getting off work .And remember to turn off the light and lock the door before you leave



Smartsound V7

Use remote to trigger to play sound



Smartsound D3

Ultrasonic Sensor(working range is customized by yourself)




Smartsound D5

Sensor and speaker seperately




Smartsound V1

Direction sensor which can indicate whether you are go in or go out




Memory size : 4M
 Changeable sound file
 Product Size: 120*82*40 mm
 Micro USB Port /TF card Port .
 Trigger Method : Motion Sensor
 Speaker : 8Ω2W (MAX 90db)
 Power supply: Lithium battery or Adapter(5V1A)
 Working range of Motion sensor : within 4 meters.

Application Scenarios:



Kingsound

Please hold the handrail and watch your step safety!



Material	Metal	Power Supply	DC12V
Memory size	4M	Speaker	8Ω2W (MAX 100dB)
Relay function	Yes	Product Size	105*105*27 mm
Trigger Method	Motion Sensor		
Working range of Motion sensor	within 4 meters.		
Changeable sound file	upload sound file (MP3 format) by U disk		

Customized application is accepted:



- Human infrared induction
- Mobile APP timing
- Built in WIFI module
- MP3 sound quality
- Easy to operate
- Clock display
- Support USB flash drive
- Built in flash memory
- Loop Playback

Support external trigger control, timing play, interval timing play.

MP3 audio format playback, beautiful sound quality.

Support Wi-Fi connection, use the mobile APP to set the timing, easy to operate.

1 ~ 50 sets of timing data can be set.

With clock display function, the current time will be automatically updated after connecting the phone.

Easy operation : Download a App ,then connect Wifi ,then Set timing .

Application Scenarios:



WT-WS1



Appearance and Accessories:



Features

1. When people get into the work area of PIR motion sensor, it will trigger to play sound file.
2. DIY to make advertise promotion
3. Two way to change sound file :use a software in Wechat and USB disk
4. Support to use Wechat Mini Program to control volume
5. Support Single loop play and All sound loop play function .
6. Support 20 groups timing play and 1 group interval play
7. The name and password of blue tooth is changeable
8. Support to play MP3 format sound file
9. Max to record 4 minute sound file by phone
10. Speaker: 8Ω/2W
11. Multiple function of on/off button
12. Easy installation: Stick directly or hang up
13. Solar power assist to charge
14. Optional charge ways :6V6W solar power board or adaptor (5V1A)

Application scenario:



Rubbish sorting area



School



Government office



Exhibition hall



Community entrance



Supermarket

WT-E12



Ahead of construction, please bypass!

Appearance



Black




Blue



Silver

Features:

1. MP3 audio format, excellent sound quality;
2. Six levels volume for option, digital tube shows the volume levels clearly;
3. Human body induction, induction range up to 4 meters;
4. Built in standard 32Mbit=4Mbyte SPI-flash;
5. Power-down memory function, when power off, the previous setting will be saved;
6. Support to replace the audio files of SPI Flash through USB interface on computer;
7. Can be powered by 3AA batteries or 5V 1A power adapter, only one choice available at the same time;
8. Built-in 8Ω 2 Watt Speaker;
9. Waterproof level: IP43;



PowerSound



Features :

1. Using infrared induction technology with wide detect degree;
2. Sound files can be changed freely by U disk, you can put the sound like music, advertising, notice and so on;
3. Support flash and SD card playback , maximally support 32G SD card;
4. Built-in 10W speaker to ensure loud and clear sound;
5. Support two play modes: loop sequence, single playback;

Applications :

Furniture exhibition hall, museum, shopping mall, school, theater, construction site, supermarket.



Parameters:

Size: 270*180*130mm

Power Supply: DC12V

Audio Format: MP3

Detect Range of PIR Sensor: ≤ 5 meters (120 degree of view)

Product Details



PowerSound

Human body motion detection
Loud voice broadcast
Voice recordable
Support SD card playback



Features :

1. When people passing by, it will play Halloween scary sound;
2. 60% market share in north American
3. Widely used in haunted house, Halloween, trick-playing, horror props;



Applications :



Theme Park



Haunted House



Halloween Trick-playing toy



PowerSound D1.03

1. sound can be triggered by motion sensor or remote
2. widely used for information guide



PowerSound WT-609

1. change sound by Bluetooth
2. support remote control for volume +/-



PowerSound V9

1. ceiling speaker, support audio input/output
2. external trigger, 3W speaker
3. widely used in toilet, reminder in production line



PowerSound V5.04

1. Nice ceiling speaker, sound can be changed freely
2. Built in relay switch, control light, fan
3. Built in 10W speaker, good sound quality





PowerSound OD

Features

- 1.Adopt microwave human body induction technology.
- 2.Can change the voice via USB flash disk directly.
- 3.Can customize relay output control function, 485 communication function and timing control.
- 4.Built-in SPI-Flash(standard memory: 4MB), can store voice of 5-30 minutes.
- 5.Support two playing modes: loop sequence, single playback.
- 6.10-level volume control. Support to adjust the volume on different occasions.
- 7.Built-in 10W power amplifier, loud and beautiful sound.
- 8.Support 433M remote control to control playing.

Parameters

Size	320H*140W mm
Power Supply	DC12V/ solar panel
Audio Format	MP3
Detect Range of PIR Sensor	≤ 8 meters (120 degree of view)



Application:

Community, Theme park, Water Park, Amusement park, Industrial park, No-fire zone, Restricted area



Audible and visual alarm

Audible and visual warning make your life safer

「 Stick to safety posts 」



Sound and light alarm

120db high decibel outdoor industrial warning alarm with strobe light



Model Number : SF-502

Type: 330*200*123mm(Large Size)	Audio file format :MP3
Working Voltage: DC12-24 V(Optional for 220V)	Waterproof Level :IP65
Alarm Loudness : <120dB （one Meter）	Speaker : 20W/16Ω
Working distance of remote:10 meters	Voice length : < 2000 seconds
Replace alarm sound through USB disk	
Can select alarm sound or adjust volume by infrared remote controller	
Can control track via 433 wireless remote controller (2 tracks)	

Model Number : SF-513

Type: 220*130*115 mm (Middle size)	Audio file format :MP3
Working Voltage: DC12-24 V(Optional for 220V)	Waterproof Level :IP65
Alarm Loudness : <110dB （one Meter）	Speaker : 10W/16Ω
Working distance of remote:10 meters	
Voice length : < 2000 seconds	
Replace alarm sound through USB disk	
Can select alarm sound or adjust volume by infrared remote controller	

SF-513

Acousto optic alarm

Can change the voice/Stroboscopic warning

120dB



Waterproof and dust-proof



SF-523

Model Number : SF-523J

Type: 218*85*80mm (Small size)	Audio file format :MP3
Alarm Loudness : <120dB （oneMeter）	Speaker : 10W/16Ω
Waterproof Level :IP65	
Sound file can not be change	
Voice length : < 2000 seconds	
Working Voltage: DC12-24 V(Optional for 220V)	

7 steps production process



Forging

02



Post welding

04



test

06




Package



School



construction sitesafety tips



Warehouse



Safety tipsfor port operations



industrial machinery

Trigger methods: Optional for activates when energized ,Wireless Remote Control
Customized function : Customized Sound File,Portable model,Solar-power supply.

GSM Thermostat Socket

- SIM card SMS remote control
- Timing temperature control
- English or Russian sms language
- Temperature sensor included
- Quality Smart Plug Under Your Brand Name and Logo
- Hardware R&D and Manufacturing Capabilities
- Familiar with the standard for plugs and portable socket-outlet
- Optional for GPRS Control and support 4G network



Take control of your connected device anywhere

Function	SMS Command	Message Reply
Sending message about power supply changing	#12#1#	It is available to send Message about power supply changing
No message about power supply changing	#12#0#	It is not available to send Message about power supply changing
Open buzzer	#19#1#	Open buzzer
Open buzzer	#19#0#	Close buzzer

Features:

1. Insert GSM SIM card to use.
2. Only support 2G network.
3. Send SMS command to control socket.
4. Temperature measurement function.
5. Electricity consumption measuring function. Can send SMS command to query how much electricity is being used.
6. Automatically send SMS notifications when power is on or power outage.
7. Delay control and timing control function.
8. Remotely query environment temperature.
9. Temperature control and SMS notification function.
(If above or below a specified range of values, it will stop working and send an SMS notification).
10. Can set 1 master phone number and multiple family phone numbers.
11. SMS language: Russian or English.
12. Can control the equipment with a maximum of 16A.
13. One 5 V USB output interface.
14. Can be used in most of countries, but does not support CDMA.
15. Built in buzzer, to prompt the switch on or off and alarm(can send sms command to turn on this function).
16. Plug type:UK, EU, US plug, customizable.



Core Functions



- Support GSM SIM Card
- Power Failure Recovery SMS Notification
- SMS Command Remote Control
- Delay Control Timing Control
- Temperature Control Remote Query
- Temperature Alarm SMS Notification
- Status Information Remote Query
- Electricity Measurement



Henry



Greenhouse



Elevator Advertising Floor Announcer

Easy to update, low cost, convenient maintenance
Dingdong, here we are in 6th floor
No need to get signal from elevator
Spot announcement
Play light music or message (Welcome to Waytronic/our hospital/hotel)



Product Recommendation



WT-92A Elevator Floor Announcer

**Floor Announcer Advertising Promotion
Music Play Power-off Memory
Changing sound by remote**

1. Adopt high accuracy sensor, easy to installation;
2. Support MP3 audio file format, 8~320Kbps, beautiful sound quality.
3. Built in 4M memory, voice length can be customized.
4. Voice update is convenient, can copy the audio file to the internal FLASH.
5. Voice content can be freely replaced according to the different needs.
6. Built in power amplifier and speaker, power up to 8Ω/2W.
7. 8 levels volume can be adjusted.
8. Operating voltage range 12V DC.

Application:
Community Shopping mall Office building



WT-90A Elevator Floor Announcer

**Floor Announcer Audio Promotion
Support Multiple language**

1. Adopt high accuracy sensor, easy to installation;
2. Support MP3 audio file format, 8~320Kbps, beautiful sound quality.
3. Built in 4M memory, voice length can be customized.
4. Voice update is convenient, can copy the audio file to the internal FLASH.
5. Voice content can be freely replaced according to the different needs.
6. Built in power amplifier and speaker, power up to 8Ω/2W.
7. 8 levels volume can be adjusted.
8. Operating voltage range 12V DC.

Cooperative brand: Mitsubishi Hitachi Kone Thyssen

Application Scenarios:



PHONE CALL RECORDER

Support phone call recording :
Automatically saved recording files, can listen and share freely;
Support VOIP/apps(whatsapp, skype) calls recording.




The Application of Call Recording in Life

Record important evidence during calls



Record important things of meetings



Record when it's inconvenient to take notes



Record business negotiation



Call Recording Earphone WT-102

1. Recording files saved in mobile phone automatically.
2. The recording files can be listen, download, even share to other a
3. The recording files can also transfer to words;
4. Used with APP, only iOS system available.



Bluetooth Recorder Earphone WT-109

1. Recording automatically when get through, and stop recording when hang up.
2. Automatic voice response systems.
3. Build in clock chip, recording files named according to the time.
4. Can copy the recording files out from the earphones connected to computer via USB cable.
5. Support listen/share recording files on mini program.

Bluetooth Call Recorder

1. Wireless connection and call recording;
2. Compatible with all smart phone;
3. Ultra-long standby time;
4. Auto answer and auto message leaving.



Telephone recording box WT-302

1. No operations required when recording, easy to use.
2. No charge required, no memory card needed.
3. Recording file name can be changed.
4. Two recording formats for option: m4a or wav.

Customized Solution

What we can do for you

1.Make little change based on our standard model



PSD1.03

Using remote control



SS V7

motion sensor to trigger the sound




WT-M12 D1

Sound combine with light

2.Customized your logo, package



3.Create a completely new product (Exclusive Sell for You)



First Aid Audio Player



Wireless Bid Caller



WT-E00



WT-E12



WT-W11



PowerSound D12



Single Button AudioPlayer



What Service We Can Offer to You?

Q1. How long can I get the feedback after we sent the enquiry?

A: We will reply you within 12 hours in working day

Q2. What is your terms of payment?

A: T/T, Paypal, Western union.

Q3. What is your terms of delivery?

A: EXW, FOB, CFR, CIF.

Q4. How about your delivery time?

A: For standard model, we can ship the goods within 1-2 working days.

B: For mass production, it will take 2~25 working days after receiving your advance payment.
The specific delivery time depends on the items and the quantity of your order.

Q5. Can you produce according to the samples?

A: We can supply the sample if we have ready parts in stock, but customers have to pay the sample cost and the courier cost.

Q6. What is your sample policy?

A: We can supply the sample if we have ready parts in stock, but customers have to pay the sample cost and the courier cost.

Q7. Do you test all your goods before delivery?

A: Yes, we have 100% test before delivery.

Q8. What is your terms of packing?

A: Generally, we pack our goods in white boxes and brown cartons. If you have legally registered patent, we can pack the goods in your branded boxes after getting your authorization letters. We'll show you the photos of the products and packages.

Q9: How do you make our business long-term and good relationship?

A:1. We keep good quality and competitive price to ensure our customers benefit;
2. We respect every customer and we sincerely do business no matter where they come from.

Exhibition

